Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



A Message to Customers and Friends

anana

PACKING

This department is in charge of experts who use the utmost care in digging and packing all orders. We have always used sphagnum moss in wrapping plants; it is the very best material which can be procured. No matter whether an order is small or large, it always receives the same careful attention, and we can assure any prospective buyer that all orders will be packed properly. Throughout the season we receive numerous testimonials from our customers telling us of the excellent manner in which stock arrived, although in many cases delayed for a long time in transit. These testimonials we receive from all parts of the United States. Those who live at a considerable distance need have no fear about stock arriving in poor shape due to faulty packing.

SHIPPING

We always advise having herbaceous stock shipped by express and will make delivery by this method unless otherwise advised. Please give us definite instructions as to mode of transportation desired, giving routing where there is any preference; where no routing is given we will use our best judgment in making shipment but will not be held responsible for delays which may result from such action.

PRICES

Five of any one variety will be sold at the 10 rate; 25 of one variety will be sold at 100 rate. Special quotations on 250 or more of one variety.

Prices on ferns and herbaceous stock include packing and delivery to the local freight or express office. All prices are based on express or freight shipment. In case a customer desires to have stock shipped by parcel post, 10 per cent of the amount of the order should be added to cover delivery charges east of the Mississippi River, and 20 per cent on orders to points west of the Mississippi River.

All evergreens and shrubs will be shipped by express or freight collect. The prices on evergreen trees, evergreen shrubs, and deciduous shrubs include all packing charges, and delivery to the local express or freight office.

CLAIMS

No claims will be entertained unless received within ten days after the receipt of the stock. While we use proper care in packing, we cannot be held responsible for undue delay in transit. We hold ourselves in readiness at all times to replace stock which arrives in poor order due to faulty packing.

HOW TO REACH OUR NURSERIES

Our nurseries are located at Southwick, Mass. The New College Highway extending from Northampton to New Haven passes our nurseries, making them easily reached by automobile from all directions. Visitors are always welcome.



OSMUNDA CLAYTONIANA

HARDY FERNS

Hardy Ferns are being used in quantity for massed planting, and selections can be made to suit almost any location. Many times there are corners about the house where the sun does not strike. Such places can be beautified by the use of Hardy Ferns. There are a few varieties of hardy native Ferns which will thrive in the open sun, yet, for the most part, they will give much better results when planted in a shady location. The Ferns we offer, being native, require a period of rest and consequently are not suitable for house culture in the winter.

Soils. Some of the larger-growing Ferns can be grown with extremely good results in ordinary garden soil in a shady location, yet, if we intend to imitate Nature, it will be necessary to furnish, for many of our Ferns, better conditions than are found in the ordinary garden. In planting Ferns it is well to prepare the soil by making it very fine, then adding, if practicable, leaf-mold so as to make the soil very light and porous. If the planter does not have at his disposal a sloping piece of ground and is anxious to have Ferns in his garden, it will be well to raise the bed 2 and 3 inches in which they are planted. This will tend to produce the drainage conditions necessary.

In planting the small rock Ferns, almost pure leaf-mold or peat should be used. This class of Ferns is, as a rule, found growing in such soils and while they can be made to struggle along and in some cases give fairly good results in ordinary garden soil, they will do much better if furnished the conditions as above described.

Uses. Our Hardy Ferns, being so varied in their characteristics, can be adapted to a wide variety of purposes. All of them can be used as specimens in the Hardy Fern collection; many can be used for edging walks in a shaded rockgarden; while others are best suited for massed plantings.

Time to plant. Hardy Ferns can be planted in either the spring or fall. If they are planted late in the autumn it is well to give them a mulch of leaves. This gives them protection from freezing and thawing and it also tends to retain the moisture in the soil until the new rootlets have started to grow.

How deep to plant. Doubtless many amateurs are not successful in growing Ferns, due to the fact that they place them too deep in the ground. Those varieties, such as the Christmas Fern or Evergreen Wood Fern, which grow from a crown should not be planted below the surface; the crown should be left exposed to the air. In case Ferns grow from underground root-stalks, such as the Beech Fern, they should be planted just below the surface with not more than half an inch of earth to cover them. Too deep planting proves fatal, especially where a long, wet season which causes the crowns or buds to rot, follows the planting.

VADIETIEC

VARIETIES			
www	Each	Per 10	Per 100
Adiantum pedatum, Maidenhair Fern. The most graceful of all our New England Ferns, attaining a height of from 12 to 18 inches when grown in rich, moist shady locations. It requires a well-drained situation, as is the case with most of our Ferns, but when once established it in-			
creases from year to year. It should be planted about an inch below the surface of the ground, the plants be- ing placed 8 inches apart if a massed effect is desired	\$.25	\$ 1.50	\$12.00
Asplenium platyneuron, Ebony Spleenwort. 6 to 15 inches high. Suited for rock work. In planting in the front border of Fern-beds, give it a little leaf-mold, and plant about 8 inches apart; do not cover the new buds	.25	1.50	12.00
Asplenium trichomanes, Maidenhair Spleenwort. A delicate little Fern, with narrow fronds 3 to 6 inches long. Although found up among the cliffs, it adapts itself to the small rockery, where it does exceedingly well, and also in the Fern border. This is one of the small ever-	.20	1.50	12.00
green Ferns benefitted by a good allowance of leaf-mold. Athyrium filixfemina, Lady Fern. A large, handsome Fern.	.25	1.50	12.00
2 to 3 feet high, with finely cut foliage. Plant in a moist place, in sun or shade, in good, rich soil. One of the	0.5	1.50	10.00
best for general culture	.25	1.50	12.00
shade	.30	2.50	20.00
Athyrium thelypteroides, Silvery Spleenwort, moist shade Camptosorus rhizophyllus, Walking-leaf. A little, low-creeping Fern, with evergreen fronds 4 to 9 inches long growing in tufts. Interesting and quite easy to grow in the rock-garden. If to be grown in the Fern-bed, use a good sprinkling of leaf-mold, raising the bed 2 to 3 inches, and plant on front edge about 6 inches apart. Do not cover the leaves	.25	1.50	12.00
Cystopteris bulbifera, Bladder Fern, moist shade	.35	3.00	20.00
Cystopteris fragilis, Small Bladder Fern, moist shade	.25	1.50	12.00
Dennstedtia punctilobula, Hayscented, or Gossamer Fern. One of the varieties that will grow in either sun or shade. It propagates itself by underground root-stalks and if planted in rich, porous soil will soon form masses	.25	1.50	12.00
Dennstedtia punctilobula, Sq. Ft. Sods	.60	5.00	35.00
Dryopteris clintoniana, Clinton Wood Fern, moist shade	.25	1.50	12.00
Dryopteris cristata, Crested Wood Fern, wet shade	.25	1.50	12.00
Dryopteris dilatata, Mountain Wood Fern, wet shade	.30	2.00	15.00
Dryopteris Filix-mas, Male Fern, moist shade	.50	4.00	35.00
Dryopteris Goldiana, Goldie's Wood Fern, moist shade	.35	3.00	25.00
Dryopteris hexagonoptera, Winged Wood Fern, moist shade Dryopteris Linnaeana, Oak Fern, dry shade	.25	1.50	12.00
Dryopteris marginalis, Evergreen Wood Fern. An evergreen variety having dark green fronds which are rether exist.	.30	2.50	20.00
in appearance. Used extensively for ground-covers under shrubbery. Plant the crowns just above the surface and one foot apart	.25	1.50	12.00

	Each	Per 10	Per 100
Dryopteris noveboracensis, New York Fern, moist shade	.25	1.50	12.00
Dryopteris phegopteris, Narrow Beech Fern, moist shade	.25	1.50	12.00
Dryopteris spinulosa, Spinulose Wood Fern. Requires well-			
drained locations and if grown in rich soil attains a			
height of 1½ to 2 feet. It is fine for massing under shrubs to form an evergreen ground-cover. The crowns			
should be planted just at the surface, and, for mass			
planting, a foot apart	.25	1.50	12.00
Dryopteris thelypteris, Marsh Fern, wet sun	.25	1.50	12.00
Lygodium palmatum, Climbing Fern	.30	2.50	20.00
Onoclea sensibilis, Sensitive Fern, wet sun	.25	1.50	12.00
Osmunda regalis, Flowering Fern. Pale green fronds. One			
of the prettiest large Ferns. Can be grown in still water,			
2 or 3 inches deep, setting the crowns just above the water; also in moist soils, sun or shade. 2 to 3 feet high.			
Plant 2 or 3 feet apart. Large roots	.25	2.00	15.00
Osmunda Claytoniana. Clothed with loose wool when un-			
folding its fronds in spring, but soon becoming perfectly			
smooth. This Fern, 2 to 3 feet high, is found in rather			
dry, shaded places, and does quite well under cultiva- tion and in boxes. Plant about 2 feet apart if several			
are needed	.25	2.00	15.00
Extra heavy	.50	4.00	
Osmunda cinnamomea, Cinnamon Fern. Larger than the			
preceding—often 5 feet high and 8 inches wide. Thrives			
in quite wet soil, in open sun or moist, shady places; usually found in mucky soil	.25	2.00	15.00
Extra heavy	.50	2.00	10.00
Pellaea atropurpurea, Purple Cliff Brake, dry shade	.50	4.00	
Polypodium vulgare, Common Polypody, dry shade	.25	1.50	12.00
Polystichum acrostichoides, Christmas Fern. An evergreen			
species, about a foot high, with deep green fronds			
simply divided. Although it is one of our common species, it is a pretty one, and easily grown in shade, in			
good garden soil, well drained. A good Fern for plant-			
ing with other sorts. Plant with the new crowns or buds			
just at the surface	.25	1.50	12.00
Polystichum Braunii, Braun Holly, moist shade	.40	3.50	30.00
Pteretis nodulosa, Ostrich, wet sun or shade	.30	2.50	20.00
Peteridium aquilinum, Common Brake, dry shade	.25	1.50	12.00
Woodsia ilvensis, Rusty Woodsia, dry shade	.25	1.50	12.00
Woodsia obtusa, Obtuse-leaved Woodsia, dry shade	.25	1.50	12.00
Woodwardia virginica, Virginia Chain Fern, wet sun	.25	1.50	12.00
Southern			
CLUB MOSSES			
Lycopodium clavatum, Ground Cedar, dry shade	.25	1.50	12.00
Lycopodium complanatum, Ground Cedar, ary shade	.25	1.50	12.00
Lycopodium lucidulum, Shiny Club Moss, moist shade	.25	1.50	12.00
Lycopodium obscurum, Ground Pine, dry sun or shade	.25		12.00
Selaginella apus, moist sun or shade		1.50	12.00
Selagment apus, moist sun or snade	.25	1.50	12.00

Club mosses are easily grown and give a pleasing evergreen effect to otherwise barren spots. They spread rapidly once they are established.

COLLECTIONS OF FERNS FOR SPECIAL NEEDS

No. 1 \$5.00 For Open Sun Culture

5 Athyrium Filixfemina, 2-3 ft.

- 5 Osmunda claytoniana, 2-3 ft.
- 20 Dennstedtia punctilobula, 1-2 ft.
- 5 Pteretis nodulosa, 3-4 ft.

No. 2 \$5.00 For Dry, Shady Places

- 10 Dennstedtia punctilobula, 1-2 ft.
- 5 Osmunda claytoniana, 2-3 ft.

10 Dryopteris marginalis, 1-2 ft.

10 Polystichum acrostichoides, 1 ft.

No. 3 \$6.00 For Moist, Shady Places

- 5 Adiantum pedatum, 1 ft.
- 5 Athyrium Filixfemina, 2-3 ft.
- 5 Athyrium thelypteroides, 2-3 ft.
- 5 Dryopteris cristata, 1 ft.

- 5 Dryopteris marginalis, 1-2 ft.
- 5 Dryopteris spinulosa, 1-11/2 ft.
- 5 Polystichum acrostichoides, 1 ft.
- 5 Woodwardia virginica, 2 ft.
- 5 Dryopteris hexagonoptera, 1 ft.

No. 4 \$5.00 For Wet, Open Ground

10 Dryopteris thelypteris, 1 ft.

10 Osmunda regalis, 2-3 ft.

10 Onoclea sensibilis, 1 ft.

10 Woodwardia virginica, 2 ft.

No. 5 \$6.00 Low Evergreen Ferns for Dry, Rocky Ledge

- 10 Asplenium platyneuron, 6-15 in.
- 10 Polypodium vulgare, 4-10 iri.
- 10 Asplenium trichomanes, 3-6 in.
- 5 Woodsia obtusa, 6-12 in.
- 10 Camptosorus rhizophyllus, 4-9 in.

Grow these Ferns and enjoy their natural beauty. We are glad to give advice on garden problems and we will gladly share our years of experience with you if you will drop us a line.



FERN BOWER IN OUR NURSERY

Della Contracted and the Contrac

NATIVE WILD FLOWERS and ROCK PLANTS

Most of the varieties you find listed below are native plants. There is no class of plants which gives the same permanency of effect as do these. When established they bloom year after year, while many of the so-called hardy plants pass their period of usefulness after two or three years.

Some and the sound the sou




VARIETIES

	Each	Per 10	Per 100
Actaea alba, White Baneberry. Racemes of white flowers, followed by white fruit. Fine for rock-work or the shady corner. Provide it with a friable loam rich in humus	\$.35	\$ 2.50	\$20.00
Actaea rubra, Red Baneberry. Same as preceding but with red fruit	.35	2.50	20.00
Alyssum saxatile compacta, Goldentuft, Yellow, May	.25	1.50	12.00
Androsace primuloides, Rock Jasmine, Purple, May	.25	1.50	12.00
Anemone pulsatilla, Pasque Flower, Purple, April	.30	2.50	20.00
Aquilegia alpina, Blue, May	.25	2.00	15.00
Aquilegia canadensis, Yellow and red flowers an inch long.			
Very desirable for rockeries. 8 to 20 inches high. May	.25	2.00	15.00
Aquilegia chrysantha, Yellow, May	.25	2.00	15.00
Arabis mollis, Downy Rockcress, White, April	.25	1.50	12.00
Arenaria caespitosa, Moss Sandwort, White, June	.25	1.50	12.00
Arisaema triphyllum, Jack-in-the-Pulpit, April	.25	1.50	12.00
Armeria maritima, Common Thrift, Pink, May	.25	1.50	12.00
Armeria maritima alba, Common Thrift, White, May	.25	1.50	12.00
Asarum canadense, Wild Ginger, Purple, May	.25	1.50	12.00
Asclepias tuberosa, Butterfly Weed. A foot high with 'arge heads of orange flowers. Thrives on dry sandy banks	.25	2.00	15.00
Aster alpinus, Rock Aster, Lavender, June	.25	2.00	15.00
Aster cordifolius, Wood Aster, Blue, September	.25	1.50	12.00
Aster corymbosus, Wood Aster, White, September	.25	1.50	12.00
Aster ericoides, Heather Aster, White, August	.25	1.50	12.00
Aster laevis, Smooth Aster, Blue, August	.25	1.50	12.00
Aster linariifolius, Double-bristled Aster, Violet, September	.25	1.50	12.00

	Each	Per 10	Per 100
Aster multiflorus, Wreath Aster, White, September	.25	1.50	12.00
Aster novae angliae, New England Aster, Purple, September	.25	1.50	12.00
Aster novi belgii, New York Aster, Pale Blue, September	.25	1.50	12.00
Baptisia tinctoria, Wild Indigo, Yellow, August	.25	1.50	12.00
Campanula carpatica, Carpathian Bell Flower, Blue, May	.25	1.50	12.00
Campanula carpatica alba, Carpathian Bell Flower, White,	.25	2.00	15.00
May	.25	1.50	12.00
Caulophyllum thalictroides, Blue Cohosh, Yellow, May	.25	1.50	12.00
Chelone glabra, Snake Head, White, August	.25	1.50	12.00
Chimaphila maculata, Striped Pipsissewa, White, June	.25	1.50	12.00
Chimaphila umbellata, Common Pipsissewa, White, June	.25	1.50	12.00
Cimicifuga racemosa, Black Snakeroot, White, August	.25	1.50	12.00
Claytonia virginica, Springbeauty, Rose, April	.25	1.50	12.00
Clintonia borealis, Bluebeard, Yellow, April	.25	1.50	12.00
Convallaria majalis, Lily-of-the-Valley. Flowers white. The	20	1.50	12.00
plants we offer have three to five pips each	.25	1.50	12.00
Coptis trifolia, Gold-thread, White, May	.25	1.50	12.00
Cornus canadensis, Bunchberry, White, June	.30	2.50	20.00
Delphinium bellamosum, Dark blue Larkspur, June	.30	2.50	20.00
Delphinium grandiflorum chinensis, Slender Larkspur, Blue,	-	1.50	10.00
June	.25	1.50	12.00
Dentaria diphylla, Crinkleroot, White, May	.25	1.50	12.00
Dianthus deltoides, Maiden Pink, Crimson, June	.25	1.50	12.00
Dianthus plumarius, Grass Pink, Pink, June	.25	1.50	12.00
Dicentra cucullaria, Dutchman's Breeches. A very early			
spring flower, with delicate divided leaves; grows about 8 inches high. Greenish white flowers, tinged with rose	.25	2.00	15.00
Dicentra canadensis, Squirrel Corn. Similar to above in flower, leaf, and manner of growth	.25	1.50	12.00
Dicentra eximia, False Bleeding-heart. Pink, June	.30	2.50	20.00
Digitalis gloxinoides, Foxglove, Mixed colors, June	.25	1.50	12.00
Dodecatheon meadia, Shooting Star. A very pretty, smooth perennial, with rose-colored or sometimes white flowers in May or June. This is sometimes called "American Cyclamen." It thrives in rich, moist woods, or in the open border	.30	2.50	20.00
Epigaea repens, Trailing Arbutus	.50	4.00	30.00
Erythronium americanum, Dog-tooth Violet; Adder's Tongue. Light yellow flowers on long stems in early spring. The long foliage is mottled with dark purple and white spots. Succeeds best in shady spots where it has ample moisture	.25	2.00	15.00
Erythronium americanum albidum. An extremely interesting spring flower with white, dog-toothed-violet flowers and light green leaves. Succeeds in any light soil in partially shaded place	.25	2.00	
Erythronium grandiflorum. One to 5-flowered, slender- stemmed stalks with very bright yellow blooms. Rich, well-drained soil in shaded place	.25	2.00	15.00

	Each	Per 10	Per 100
Erythronium Hendersonii, Henderson's Lily, Lavender, April	.25	2.00	15.00
Eupatorium perfoliatum, Thoroughwort, White, August	.25	1.50	12.00
Eupatorium purpureum, Joe Pye Weed, Purple, August	.25	1.50	12.00
Eupatorium urticaefolium, Snow Thoroughwort, White, August	.25	1.50	12.00
Gaillardia grandiflora, Gaillardia, Red, Yellow, July, August	.25	1.50	12.00
Galax aphylla, Native Galax, White, June	.35	2.50	20.00
Gaultheria procumbens, Aromatic Wintergreen. A low evergreen, with bright green leaves. Flowers white followed by the bright red berries, which remain until the next season. Give the bed a covering of leaves. It takes a whole season to establish this plant. Clumps	.25	2.00	15.00
Gentiana Andrewsii, Closed Gentian. A pretty and strong- growing northern species, with clusters of blue flowers an inch or more in length. Plant in rich, moist soil. At home along the banks of a brook in shady places. One of our most interesting native plants	.25	2.00	15.00
Geranium maculatum, Wild Geranium, Purple, June	.25	1.50	12.00
Hemerocallis flava, Day Lily, Yellow, July	.25	1.50	12.00
Hepatica acutiloba, Acute-lobed Hepatica. An early blooming western plant with white, pink, or purple flowers in early spring.	.25	2.00	15.00
Hepatica triloba, Round-lobed Hepatica. One of the earliest of our wild wood flowers. Leaves three-lobed; the flowers are pink and dark purple. Fine for massing in the shady corner or open woods.	.25	2.00	15.00
Houstonia caerulea, Bluet, Pale blue, April	.15	1.00	8.00
Hypoxis hirsuta, Star Grass, Yellow, June	.25	1.50	12.00
Iberis sempervirens, Candytuft, White, May	.25	2.00	15.00

A shady nook, a few rocks, wild flowers and ferns—a bit of paradise on earth. That woodland spirit you adore will move to your home grounds with the children of the woods. Those Bloodroot and Ladyslippers, Bluebells and Trilliums at your doorstep will create a unique atmosphere not to be attained with the more pretentious flowers of civilization. Ours is one of the most unique nurseries in the country. We specialize in native plant gems, nature's own contribution to making this a brighter, better world.





GAULTHERIA PROCUMBENS

	Each	Per 10	Per 100
Iris cristata, Crested Iris, Pale blue, May	.25	2.00	15.00
Iris pseudacorus, Yellowflag Iris, Yellow, June	.25	2.00	15.00
Iris verna, Vernal Iris, Blue and yellow, May	.35	2.50	20.00
Iris versicolor, Blueflag Iris, Blue, June	.25	1.50	12.00
Liatris pycnostachya, Cat-tail Gayleather, Purple, July	.25	1.50	12.00
Liatris scariosa, Native Gayfeather, Purple, July	.25	1.50	12.00
Lilium canadense, Canada Lily, Yellow, July	.35	2.50	20.00
Lilium philadelphicum, Orangecup, Reddish orange, July	.35	2.50	20.00
Lilium superbum, American Turkscap, Orangé, July	.35	2.50	20.00
Lobelia cardinalis, Cardinal Flower, Red, July	.25	1.50	12.00
Lobelia siphilitica, Blue Lobelia, Blue, June	.25	1.50	12.00
Lychnis viscaria, fl. spl., Rosepink Campion, June	.25	1.50	12.00
Lysimachia numularia, Moneywort, Yellow, June	.25	1.50	12.00
Lythrum salicaria, Loosestrife, Rose purple, July	.25	1.50	12.00
Maianthemum bifolium, False Lily-of-the-Valley, White, May	.25	1.50	12.00
Mertensia virginica, Virginia Cowslip. This plant grows from 1 to 2 feet high, bearing a panicle of beautiful blue or sometimes white flowers in early spring. The buds are pink. One of the choicest early spring flowers for massing in shady places or open sun, in moist but well-	60	0.00	15.00
drained soil, where it thrives equally well	25	2.00	15.00
Mitchella repens, Partridge Berry. A little trailing evergreen. It forms fine mats under evergreens, and when once established, is sure to please. It does exceedingly well grown in a bell-glass, and so makes a charming midwinter decoration for the living-room, as it needs little care	.25	2.00	15.00

FLOWERING PLANTS FOR MOIST SHADY PLACES

Aquilegia canadensis, 8-12 inches Erythronium americanum, 6 inches Erythronium grandiflorum, 6 inches Hepatica acutiloba, 4-6 inches Hepatica triloba, 4-6 inches Lobelia cardinalis, 1½-3 feet Mertensia virginica, 1-1½ feet Phlox divaricata, 8-12 inches Polygonatum commutatum, 1-1½ feet Sanguinaria canadensis, 6-12 inches Smilacina racemosa, 8-18 inches Tiarella cordifolia, 6-10 inches Trillium grandiflorum, 10-15 inches Viola canadensis, 4-12 inches Viola cucullata, 4-8 inches



DICENTRA CUCULLARIA

	Each	Per 10	Per 100
Mitella diphylla, Bishop's Cap, White, May	.25	1.50	12.00
Myosotis scorpiodes, true Forget-Me-Not, Blue, May	.25	1.50	12.00
Phlox amoena. Lovely Phlox. One of the most charming little dwarf plants imaginable, growing only about 6 inches high, and forming a mat of evergreen foliage which is entirely covered with compact heads of bright pink flowers from April until June. A lovely spring-blooming plant. Prefers dry soil in sunny situations	.25	1.50	12.00
Phlox divaricata. About 15 inches high. Flowers pale lilac or bluish. Grows in moist humus filled soils in rocky woods	.35	2.50	20.00
Phlox subulata, Ground, or Moss Pink. A creeping or tufted species, growing in broad mats on dry, rocky hills or sand banks. In the summer it does quite well in the border and can be used for edging or among larger plants, where it soon covers the ground	.25	1.50	12.00
Phlox subulata alba, White, May	.25	1.50	12.00
Phlox subulata lilacina, Light Blue, May	.25	1.50	12.00
Phlox vivid, Clear Pink, May	.25	1.50	12.00
Phlox Varieties, Garden Phlox Enchantress, Bright Salmon Pink George Stipp, Deep glowing salmon. Rheinlander, Salmon pink, deep eye Salmon Blaze, Blazing cherry salmon.	.30 .30 .30 .35	2.50 2.50 2.50 3.00	20.00 20.00 20.00 20.00 25.00

South of

FLOWERING PLANTS FOR OPEN. SUNNY PLACES

Alyssum saxatile compacta, 6-8 in. Anemone pulsatilla, 6-8 inches Armeria maritima, 6-8 inches Campanula rotundifolia, 6-8 inches Iberis sempervirens, 6-10 inches Iris cristata, 4-6 inches Mertensia virginica, 1-11/2 feet Phlox amoena, 6-8 inches Phlox vivid, 4-6 inches Primula cachemiriana, 7-10 inches Primula japonica, 6-8 inches Thymus serpyllum album, 4 inches Thymus serpyllum coccineus, 4 in. Veronica prostrata, 4 inches Viola cornuta, 4-6 inches Viola lutea, 4-6 inches



TRILLIUM GRANDIFLORUM

	Each	Per 10	Per 100
Podophyllum peltatum, Mayapple, White, June	.25	1.50	12.00
Polygala paucifolia, Fringed Polygala, Rose Purple, May	.25	1.50	12.00
Polygonatum biflorum, Small Solomon's Seal, June	.25	2.00	15.00
Polygonatum commutatum, Great Solomon's Seal, June	.25	2.00	15.00
Primula cachemiriana, Primrose, Dark Lilac, May	.25	2.00	15.00
Primula japonica, Crimson or Creamy White, June	.25	2.00	15.00
Primula polyantha, Garnet and Yellow, June	.25	2.00	15.00
Pyrethrum roseum, Painted Daisy, mixed colors	.25	1.50	12.00
Pyrola rotundifolia, Shin Leaf, White, July	.25	1.50	12.00
Sanguinaria canadensis, Bloodroot. A low perennial, about 6 inches high, with pure white flowers an inch in diameter, in early spring. The large, leathery leaves appear later. Plant in rich soil, selecting, if possible, shady places or rock-garden.	.25	1.50	12.00
Saxifraga virginiensis, Virginia Saxifraga, White, May	.15	1.00	8.00
Sedum acre, Goldmoss, Yellow, June	.15	1.00	8.00
Sedum album, White Stonecrop, White, June	.15	1.00	8.00
Sedum lydium, Lydian Stonecrop, Pink, June	.15	1.00	8.00
Sedum rupestre minor, Yellow, June	.15	1.00	8.00
Sedum saramentosum, Stringy Stonecrop, Yellow, June	.15	1.00	8.00
Sedum sexangulare, Hexagon Stonecrop, Yellow, June	.15	1.00	8.00
Sedum stoloniferum, Running Stonecrop, Pink, June	.15	1.00	8.00
Sedum stoloniferum coccineum, Scarlet, June	.15	1.00	8.00
Sempervivum Alberti, Houseleek, Bright Pink, June	.15	1.00	8.00
Sempervivum arachnoideum. Spiderweb Houseleek, Pink,			
June	.15	1.00	8.00
Sempervivum globiferum, Globe Houseleek, Yellow, June	.15	1.00	8.00
Sempervivum tectorum, Roof Houseleek, June	.15	1.00	8.00
Shortia galacifolia, Oconee Bells, White, April	.35	3.00	25.00
Smilacina racemosa, False Solomon's Seal, White, June	.25	1.50	12.00
Solidago caesia, Wreath Goldenrod, Yellow, August	.25	1.50	12.00
Solidago canadensis, Canadian Goldenrod, Yellow, August	.25	1.50	12.00
Solidago nemoralis, Oldfield Goldenrod, Yellow, August	.25	1.50	12.00
Thalictrum dioicum, Early Meadowrue, Purple, July	.25	1.50	12.00
Thalictrum polyganum, Tall Meadowrue, White, July	.25	1.50	12.00
Thymus azoricus, Creeping Thyme	.25	1.50	12.00
Thymus lanuginosus, Wooly Thyme, June	.25	1.50	12.00
Thymus serpyllum, Mother of Thyme, Lavender, June	.25	1.50	12.00
Thymus serpyllum album, White, June	.25	1.50	12.00
Thymus serpyllum coccineus, Scarlet, June	.25	1.50	12.00
Tiarella cordifolia, False Miterwort, White, May	.25	1.50	12 00
Trillium erectum, Purple Trillium, April	.25	2.00	15.00
Trillium grandiflorum, Snow Trillium, April	.25	2.00	15.00
Probably the prettiest of the genus, and most generally			
cultivated. It grows 8 to 15 inches high; large, white			
flowers, often 2 to $2 \frac{1}{2}$ inches in length and 2 inches wide, turning to lilac-color with age.			
Trillium stylosum, Rose Trillium, April	.25	2.00	15.00
Trillium undulatum, Painted Trillium, White with purple			
base, April	.25	2.00	15.00
Tunica saxifraga, Tunicflower, Pink, June	.25	1.50	12.00
Uvularia grandiflora, Big Merrybells, Yellow, May	.25	1.50	12.00
Uvularia perfoliata, Wood Merrybells, Yellow, May	.25	1.50	12.00

	Each	Per 10	Per 100
Uvularia sessilifolia, Little Merrybells, Yellow, May	.25	1.50	12.00
Veronica incana, Wooly Speedwell, Blue, June	.25	1.50	12.00
Veronica prostrata, Harebell Speedwell, Blue, June	.25	1.50	12.00
Vinca minor, Blue Myrtle, Blue, June	.25	1.50	12.00
Viola blanda, Sweet White Violet, White, May	.25	1.50	12.00
Viola canadensis, Canadian Violet, White, May	.25	1.50	12.00
Viola chantryland, Apricot, May	.25	2.00	15.00
Viola conspersa silvestris, Dog Violet. A pretty, many-flow- ered blue Violet, 6 inches high, branching and forming little clumps. For best results should be planted in moist, shady places.	.25	1.50	12.00
Viola cornuta, Horned Pansy. An old garden plant of much merit, with sweet-scented, bright lavender flowers in spring; hardy in wet, open places.	.25	2.00	15.00
Viola cucullata, Common Blue Violet. A vigorous plant, each leaf and flower-stalk growing on a long stem from the thickened or tuberous root. Flowers deep or pale violetblue or purple, single. It grows in damp shady places.	.25	2.00	15.00
Viola lutea, European Yellow Violet. Attractive yellow flowers, similar to V. cornuta in shape, with fine black stripes at base of petals. Dense growing, 2 to 6-inch tall plant; profuse bloomer, from early spring till frost. Half-shade	.25	2.00	15.00
Viola palmata, Blue Palmate Violet, May	.25	1.50	12.00
Viola pedata, Bird's-foot Violet, Bluish Purple, May	.25	1.50	12.00
Viola pedata bicolor, May	.35	2.50	20.00
Viola pubescens, Downy Yellow Violet, May	.25	2.00	15.00
Viola septentrionalis, White, Purple throat, May	.25	1.50	12 00
Viola tricolor, Johnny-Jump-Ups, Yellow and purple, May	.25	1.50	12.00

We have a fine stock of Violas this year that will give pleasing results when planted in the garden or rockery.



BOG PLANTS AND NATIVE ORCHIDS

To the group of plants which can be conveniently classed as Bog Plants belong some of the most interesting varieties of our American flora. These require a damp situation in which the moisture must be constant yet not excessive.

Native Orchids can be successfully grown under the right conditions. The Cypripedium acaule should be planted where the soil is very light, composed chiefly of sand and where the drainage is exceptionally good and should always be planted in the shade. The Cypripedium spectabile requires boggy conditions where there is constant moisture. The Cypripedium pubescens will grow either under boggy conditions or in a rich wood soil in the shade.

	Each	Per 10	Per 100
Acorus calamus, Sweet Flag	\$.25	\$ 1.50	\$12.00
Calla palustris, Wild Calla, Pale yellow, June	.25	1.50	12.00
Caltha palustris, Marsh Marigold, Bright yellow, April	.25	1.50	12.00
Calopogon pulchellus, Grass Pink Orchid, June	.25	2.00	15.00
Cypripedium acaule, Lady's Slipper This is often called the Red Lady's Slipper, but the flower is rose-purple in color. The plant sends up two broadish green leaves from the base, and from between them comes a stalk about a foot high, bearing a single large, showy flower. Plant in a well-drained soil, with some leaf-mold. This does quite well in pots.	.30	2.50	20.00
Cypripedium pubescens, Yellow Lady's Slipper	.30	2.50	20.00
Cypripedium spectabile, Showy Lady's Slipper	.35	3.00	25.00
Dionaea muscipula, Venus Fly Trap	.50	4.50	40.00
Goodyera pubescens, Rattlesnake Plantain, White, July	.25	1.50	12.00
Juncus effusus, Bog Rush	.15	1.00	8.00
Pogonia ophioglossoides, Snake Mouth Orchid, Pink, June Primroses—See Hardy Perennials	.25	1.50	12.00
Sarracenia flava, Trumpet-Leaf, Yellow, July	.50	4.00	30.00
Sarracenia purpurea, Pitcher Plant, Deep purple, July	.25	1.50	12 00
Scirpus atrovirens, Marsh Sedge	.15	1.00	8.00
Typha latifolia, Cat-tail	.25	1.50	12.00
Vaccinium macrocarpon, American Cranberry, June	.25	1.50	12.00
Veratrum viride, American White Hellebore	.25	1.50	12.00



A FINE EXAMPLE OF THE EFFECT THAT CAN BE PRODUCED BY PLANTING RHODODENDRONS AT THE EDGE OF A POOL OR POND.

EVERGREEN SHRUBS—NATIVE RHODODENDRONS

For permanent and substantial plantings in shaded places, nothing surpasses our Native Broad-leaved Evergreens. Native Rhododendrons and Azaleas combine to give a naturalistic planting that luxuriance which is hard to describe. Our stock is of the linest quality and is grown in our Nursery from cut-back clumps. The prices listed are f.o.b. Southwick and include packing charges.

Kalmia latifolia, Mountain Laurel	Each	Per 10	Per 100
12-15 in.	\$ 1.60	\$14.00	\$120.00
15-18 in.		17.50	150.00
Leucothoe catesbaei, Drooping Leucothoe			
12-15 in	1.65	13.50	112.50
15-18 in.	1.80	16.50	135.00
18-24 in.	2.10	19.00	172.50
2-2 ¹ / ₂ ft.	2.65	24.50	225.00
Pieris floribunda, Lily-of-the-Valley Shrub, White	1.65	15.00	120.00
12-15 in.	1.05	17.00	150.00
15-18 in. 18-24 in.	2.40	21.00	187.50
2-21/ ₂ ft.	2.65	24.50	225.00
Rhododendron carolinianum, Carolina, Pink	2.00	21.00	220.00
12-15 in.	1.90	17.00	150.00
15-18 in.	2.40	21.00	187.50
18-24 in.	3.30	30.00	262.50
2-2 ¹ / ₂ it.	4.05	37.50	337.50
Rhododendron catawbiense, Catawba			
One of the most beautiful native shrubs and the hardi-			
est of all the Rhododendrons. In June every branch is a			
large cluster of 11/2-inch broad, rosy purple blooms.			
The foliage is the most handsome of any Rhododendron.	1.90	17.00	150.00
12-15 in.	2.40	21.00	187.50
15-18 in. 18-24 in.	3.30	30.00	262.50
2-21/2 ft.	4.05	37.50	337.50
2 ¹ / ₂ -3 ft.	4.80	45.00	412.50
3-4 ft.	6.00	57.00	525.00



Rhododendron catawbiense, 18-inch grade



A typical plant of Azalea calendulacea

Rhododendron maximum, Rosebay A hardy variety, of magnificent size, making it a wonderful plant for mass effects. The luxuriant growth of dark green, narrow leaves, 6 to 12 inches long, gives a delightful atmosphere. The light pink or white flowers, 1½ to 2 inches broad, are borne in large clusters in great abundance in June. 15-18 in. 18-24 in. 2-2½ ft. 2½-3 ft. 3-4 ft.	1.90	17.00	150.00	
	2.65	24.50	225.00	
	3.30	30.00	262.50	
	3.75	34.50	300.00	
	5.00	47.50	450.00	
Rhododendron hybrids 15-18 in. 18-24 in.	3.40	32.00	300.00	
	4.15	39.50	375.00	
HARDY AZALEAS				
Azalea arborescens, Sweet Azalea, White 15-18 in. 18-24 in. 2-21/2 ft. 21/2-3 ft.	1.90 2.40 2.65 3.75		150.00 187.50 225.00 300.00	
Azalea calendulacea, Flame Azalea Probably the most gorgeous of the native Azaleas. From early May until well into the month of June, the plants are literally covered with orange-yellow or flame-red blooms which in size are often 2 inches				
across. 15-18 in. 18-24 in. 2-2 $\frac{1}{2}$ -3 ft. 3-4 ft. 4-5 ft.	1.90	17.00	150.00	
	2.40	21.00	187.50	
	2.65	24.50	225.00	
	3.75	34.50	300.00	
	4.80	45.00	412.50	
	6.00	57.00	525.00	

	Each	Per 10	Per 100
Azalea canescens, Piedmont Azalea, Pink			
15-18 in. 18-24 in. 2-21/2 ft. 21/2-3 ft. 3-4 ft.	1.75 2.10 2.50 3.30 4.05	15.00 19.00 23.00 30.00 37.50	127.50 172.50 210.00 262.50 337.50
Azalea nudiflora, Pinxter, Pink			
15-18 in. 18-24 in. 2-2½ ft. 2½-3 ft. 3-4 ft.	1.75 2.10 2.50 3.30 4.05	15.00 19.00 23.00 30.00 37.50	127.50 172.50 210.00 262.50 337.50
Azalea rosea, Downy Pinxterbloom, Pink			
15-18 in. 18-24 in. 2-2½ ft. 2½-3 ft. 3-4 ft.	1.75 2.10 2.50 3.30 4.05	15.00 19.00 23.00 30.00 37.50	127.50 172.50 210.00 262.50 337.50
Azalea vaseyi, Southern Pink Azalea			
15-18 in. 18-24 in. 2-2 ¹ / ₂ ft. 2 ¹ / ₂ -3 ft. 3-4 ft.	1.90 2.40 2.65 3.75 4.80	17.00 21.00 24.50 34.50 45.00	150.00 187.50 225.00 300.00 412.50
Azalea viscosa, Swamp Azalea, White			
18-24 in. 2-21/2 ft. 21/2-3 ft. 3-4 ft. 4-5 ft.	1.90 2.40 2.65 3.75 4.80	17.00 21.00 24.50 34.50 45.00	150.00 187.50 225.00 300.00 412.50
Rhodora canadensis, Rose Purple			
1-2 ft.	1.00	8.50	75.00





Kalmia latifolia

Rhododendron maximum

CONIFEROUS EVERGREENS

Each Per 10 Per 100

	Each	Per 10	Per 100
Taxus cuspidata capitata 15-18 in. 18-24 in. 2-21/2 ft.	1.90 2.65 3.75	17.00 24.50 34.50	150.00 225.00 300.00
Tsuga canadensis, Common Hemlock 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. 5-6 ft.	1.90 2.65 4.50 7.50 9.00	17.00 24.50 40.50 67.50 84.00	150.00 225.00 375.00 600.00 750.00
Tsuga caroliniana, Carolina Hemlock 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft.	1.90 2.65 4.50 7.50	17.00 24.50 40.50 67.50	150.00 225.00 375.00 600.00
DECIDUOUS SHRUBS			
Andromeda polifolia, Bog Rosemary 12-15 in.	\$.55	\$ 5.00	\$45.00
Chamaedaphne calyculata, Leatherleaf	.55	5.00	45.00
Deutzia scabra var. Pride of Rochester 3-4 ft.	.55	5.00	45.00
Forsythia, Fortunei, Border Golden Bell 2-3 ft.	.55	5.00	45.00
Galyussacia baccata, Black Huckleberry	.55	5.00	45.00
Kalmia angustifolia, Lambkill 1-1½ ft.	.55	5.00	45.00
Kalmia polifolia, Bog Kalmia 12-15 in.	.55	5.00	45.00
Lonicera grandiflora rosea, Pink Tatarian Honeysuckle 2-3 ft.	.55	5.00	45.00
Spiraea Van Houtte, Van Houtte Spirea 2-3 ft.	.40	3.50	30.00
3-4 ft	.50	4.50	40.00
18-24 in	1.65 1.90 2.65	13.50 17.00 24.50	112.50 150.00 225.00
DECIDUOUS TREES			
Acer dasycarpum, Silver Maple 8-10 ft.	1.90	17.00	150.00
Acer platanoides. Norway Maple 12-14 ft., 21/2-3 in. cal.	5.75	55.00	525.00
Acer saccharum, Sugar Maple 10-12 ft., 1-1½ in. cal. 12-14 ft., 1½-2 in. cal.	5.00 5.75	47.50 55.00	450.00 525.00
Cornus florida, White Flowering Dogwood 3-4 ft.	2.00	17.50	150.00
4-5 ft	2.75	25.00 32.50	225.00 300.00
Cornus florida rubra, Pink Flowering Dogwood 3-4 ft.	3.50	32.50	300.00



NATIVE LADYSLIPPERS

5	Cypripedium o	caule	\$1.00
5	Cypripedium p	ubescens	1.25
5	Cypripedium s	pectabile	1.50
	Catalog value		\$3.75
	Complete colle	ction	\$3.00

SPECIAL COLLECTION OF ROCK PLANTS

5	Anemone pulsatilla	\$1.00
5	Iris cristata	.75
5	Phlox vivid	.75
	Catalog value	\$2.50
	Complete collection	\$2.00

SPECIAL COLLECTION OF SPECIAL COLLECTION OF EARLY SPRING WILD **FLOWERS**

5	Arisaema triphyllum	\$0.75
5	Claytonia virginica	.75
5	Dicentra Cucullaria	.75
5	Erythronium grandiflorum	.75
5	Mertensia virginica	.75
5	Trillium grandiflorum	.75
	Catalog value	\$4.50
	Complete collection	\$4.00

Prices f.o.b. Southwick, Mass.

